# CLAIMS

What is claimed is:

1. A method for utilizing a database as a service, the method comprising the steps of:

    (a) accessing the database over a public network by a browser without downloading software; and

    (b) controlling access to the database based on an agreed-upon schedule and price.

2. The method of claim 1 wherein the browser provides commands utilizing hypertext mark up language (HML) code.

3. The method of claim 1 wherein the database is accessed utilizing an interface application that is executed on a web application platform.

4. The method of claim 3 wherein the UI application extracts database commands from a web server and presents the database commands to the database and combines database commands with control commands from the database and provides the HTML code to the web server.

5. A computer readable medium containing program instructions for utilizing a database as a service, the program instructions for:

3               (a)     accessing the database over a public network by a browser without

4   downloading software; and

5               (b)     controlling access to the database based on an agreed-upon schedule

6   and price.

1       6.     The computer readable medium of claim 5 wherein the browser provides

2   commands utilizing hypertext mark up language (HML) code.

1       7.     The computer readable medium of claim 5 wherein the database is accessed

2   utilizing an interface application that is executed on a web application platform.

1       8.     The computer readable medium of claim 7 wherein the UI application extracts

2   database commands from a web server and presents the database commands to the database

3   and combines database commands with control commands from the database and provides the

4   HTML code to the web server.

1       9.     A method for providing a database as a service over a public network utilizing a

2   computer which includes a browser, the method comprising the steps of:

3               (a)     authenticating a user via the browser by a user interface (UI)

4   application;

5               (b)     providing commands from a web server to the browser for displaying a

6   screen;

7               (c)     providing commands from the browser to the web server based upon

8    user interaction with the screen, the commands from the browser including database

9    commands;

10                (d)    extracting and sending the database commands by the UI application to

11   the database, the database providing a response thereto;

12                (e)    combining the response with control commands by the UI application;

13   and

14                (f)    sending the combined response and control commands through the web

15   server to the browser for display.


            10.    The method of claim 9 wherein the commands are provided in hypertext

markup language (HTML) code.


            11.    The method of claim 9 wherein the database commands are SQL statements.


            12.    The method of claim 9 wherein the screen is a window to enter database

commands.


1           13.    The method of claim 9 wherein the UI application is executed as a web

2    application platform.


1           14.    The method of claim 13 wherein the authentication step (a) comprises the steps

2    of:

3                (a1)    opening a URL in the browser;

4                 (a2)    sending the URL to the web server;

5                 (a3)    sending a request to the UI application based upon the URL;

6                 (a4)    producing the HTML code for login and providing the HTML code to

7   the browser;

8                 (a5)    providing ID/password in the HTML code based upon user interaction

9   by the browser;

10                (a6)    extracting ID/password from the HTML code by UI application; and

11                (a7)    determining if ID/password is authentic.


15.    The method of claim 14 wherein the authentication step (a) further comprises
the steps of:

                (a8)    opening a session if the ID/password is authentic.


16.    A computer readable medium containing program instructions for providing a
database as a service over a public network utilizing a computer which includes a browser, the
program instructions for:

4                (a)    authenticating a user via the browser by a user interface (UI)

5   application;

6                (b)    providing commands from a web server to the browser for displaying a

7   screen;

8                (c)    providing commands from the browser to the web server based upon

9   user interaction with the screen, the commands from the browser including database

10   commands;

11               (d)    extracting and sending the database commands by the UI application to

12 the database, the database providing a response thereto.

13               (e)    combining the response with control commands by the UI application;

14 and

15               (f)    sending the combined response and control commands through the web

16 server to the browser for display.


1       17.    The computer readable medium of claim 16 wherein the first, second and third

2 sets of commands are provided in hypertext markup language (HTML) code.


1       18.    The computer readable medium of claim 16 wherein the database commands

2 are SQL statements.


1       19.    The computer readable medium of claim 16 wherein the screen is a window to

2 enter database commands.


1       20.    The computer readable medium of claim 16 wherein the UI application is

2 executed as a web application platform.


1       21.    The computer readable medium of claim 20 wherein the authentication

2 instruction (a) comprises the instructions for:

3               (a1)    opening a URL in the browser;

4               (a2)    sending the URL to the web server;

5       (a3)    sending a request to the UI application based upon the URL;

6       (a4)    producing the HTML code for login and providing the HTML code to

7   the browser;

8       (a5)    providing ID/password in the HTML code based upon user interaction

9   by the browser;

10      (a6)    extracting ID/password from the HTML code by UI application; and

11      (a7)    determining if ID/password is authentic.


1       22.     The computer readable medium of claim 21 wherein the authentication

2   instruction (a) further comprises the instruction for:

3       (a8)    opening a session if the ID/password is authentic.


3       23.     A database service for use on a public network comprising:

        a presentation layer, the presentation layer including a browser, a web server

3   coupled to the public network and a web application platform coupled to the web server;

4       an application layer comprising a user interface (UI) application, the UI

5   application is executed on the web application platform and is capable of communicating with

6   the browser through a standard program code; and

7       a database management layer, the database management layer comprising at

8   least one database which communicates with the UI application.


1       24.     The database service of claim 23 wherein the standard program code comprises

2   hypertext markup language (HTML) code.

1      25.    The database service of claim 23 which includes at least one back up database

2      coupled to the at least one database.


1      26.    The database service of claim 25 wherein the UI application extracts database

2      commands from the web server and presents the database commands to the database and

3      combines database commands with control commands from the database and provides the

4      HTML code to the web server.


1      27.    A database service for use on a public network comprising:

            a presentation layer, the presentation layer including a browser, a web server

coupled to the public network and a web application platform coupled to the web server;

            an application layer comprising a user interface UI application, the UI

application is executed on the web application platform and is capable of communicating with

the browser through hypertext markup language (HTML) code; and

            a database management layer, the database management layer comprising at

least one database which communicates with the UI application; and at least one back up

9      database coupled to the at least one database, wherein the UI application extracts database

10    commands from the web server and presents the database commands to the database and

11    combines database commands with control commands from the database and provides the

12    HTML code to the server.


1      28.    A system for utilizing a database as a service, the system comprising:

2      means for accessing the database over a public network by a browser without

3   downloading software; and

4     means for controlling access to the database based on an agreed-upon schedule and

5   price.